

Switch mode power supply Wide supply voltage DIN rail mounted **Output 24VDC** Maximum output current of 1.1A

Introduction

The DRM-PS 24/1.1 is a useful compact general purpose switch mode power supply with a 24VDC output and a maximum load of 1.1 Amps. It is DIN rail mountable.

- Wide AC input range
- Short circuit, Overload, Over voltage protected
- Built in EMI filter, low ripple noise
- CE, UL, TUV approvals
- Mounts on standard DIN rails

General Ratings

-20 to +70 °C Storage temperature Operating temperature -10 to +60 °C Weight 470g

Dimensions 126 mm wide

62 mm long 62 mm high

Supply voltage 88 to 264 VAC at frequency 47 to 63 Hz

Supply current 0.6A at 115VAC, 0.3A at 230VAC Supply inrush current 15A at 115VAC, 30A at 230VAC Output voltage 24VDC (adjustable +/- 10%)

Output current Maximum load 1.1A Output ripple voltage 120mV pk - pk Line regulation +/- 0.2% Load regulation +/- 0.2%

Rise/Hold up time 50mS/10mS at 115VAC, 50mS/80mS at 230VAC

Overload protection 110 ~ 180% rated output power

27.6 ~ 32.4V

Over voltage protection 3KV I/P - O/P (1 Min)

Dielectric strength UL1012, TUV EN60950, IEC950, UL1950 Conforms to safety standards CISPR22 (EN55022), IEC801-234, IEC555-2,

Conforms to EMC standards CISPR22

Housing

The unit can be mounted on standard DIN rail Unit mounting profiles conforming to EN50 045, EN50 035 and

EN50 022 standards

Polyamide PA and PVC, UM 108 Phoenix Contact. Inflammability class V0 (UL94)

Colter Group

Terminal Connections

Terminal L N Q -V +V	Description Live Neutral Earth DC 0V DC 24V	Notes Live connection to mains supply. Neutral connection to mains supply. Earth connection to mains supply. OV connection to equipment. 24VDC connection to equipment.	

Further Information

<u>Green LED</u> This lights when the mains voltage is applied to the power supply and it is functioning correctly.

<u>V ADJ</u> This potentiometer allows +/- 10% adjustment of the output (24VDC) voltage.

Other Options

See separate data sheets panel mounting versions and also 2.5 Amp 24VDC and 4.5 Amp 24VDC output versions

Colter Group Data Sheet Issue: 1.20 Date: 30th October 2020

Order Codes

Part Number DRM-PS 24/1.1

COLTER PRODUCTS LIMITED

UNIT 7, ZONE C
CHELMSFORD ROAD INDUSTRIAL ESTATE
DUNMOW
ESSEX
CM6 1HD
Telephone: + 44 (0) 1371 876887
Fax: + 44 (0) 1371 875638

E-Mail: sales@coltergroup.co.uk Web Site: www.coltergroup.co.uk

© Copyright 1999

The DRM-PS 24/1.1 is supplied by Colter Products Ltd.

Colter Products reserve the right to amend these specifications and the user is asked to check the validity of the data sheet prior to use

Colter

Group