

Switch mode power supply Wide supply voltage DIN rail mounted **Output 24VDC** Maximum output current of 4.5A

The DRM-PS 24/4.5 is a useful compact general purpose switch mode power supply with a 24VDC output and a maximum load of 4.5 Amps. It is DIN rail mountable

Wide AC input range

- Short circuit, Overload, Over voltage protected
- Built in EMI filter, low ripple noise
- CE, UL, TUV approvals
- Mounts on standard DIN rails

General Ratings

Storage temperature -20 to +70 °C Operating temperature -10 to +60 °C

Weight 820g

Dimensions 122.6 mm wide 207 mm long

63 mm high

Supply voltage 85 to 132 VAC or 176 to 264 VAC (selectable) at frequency 47 to 63 Hz

Supply current 1.9A at 115VAC, 1A at 230VAC Supply inrush current

20A at 115VAC, 40A at 230VAC Output voltage 24VDC (adjustable +/- 10%) Output current

Maximum load 4.5A Output ripple voltage 150mV pk - pk Line regulation +/- 0.2% Load regulation +/- 0.2% Rise/Hold up time 30mS/15mS

Overload protection 105% to 150% rated load current, automatic

recovery

Over voltage protection 115% to 135% Dielectric strength 3KV I/P - O/P (1 Min)

UL1012, TUV EN60950, IEC950, UL1950 Conforms to safety standards Conforms to EMC standards CISPR22 (EN55022), IEC801-234, IEC555-2,

CISPR22

Unit Mounting The unit can be mounted on standard DIN rail

profiles conforming to EN50 045, EN50 035 and

EN50 022 standards

Housing Polyamide PA and PVC, UM 108 Phoenix

Contact. Inflammability class V0 (UL94)



Colter

Page 1.

Terminal Connections

L (AC) Li N (AC) N G (AC) E COM D	eutral arth C 0V	Notes Live connection to mains supply. Neutral connection to mains supply. Earth connection to mains supply. 0V connection to equipment. 24VDC connection to equipment.
--	------------------------	---

Further Information

<u>V ADJ</u> This potentiometer allows +/- 10% adjustment of the output (24VDC) voltage.

Other Options

See separate data sheets panel mounting versions and also 1.1 Amp 24VDC and 2.5 Amp 24VDC output versions

Data Sheet Issue: 1.10 Date: 10 May 2005

Order Codes

Part Number DRM-PS 24/4.5

COLTER PRODUCTS LIMITED

UNIT 7, ZONE C CHELMSFORD ROAD INDUSTRIAL ESTATE DUNMOW ESSEX CM6 1HD Telephone: + 44 (0) 1371 876887

Fax: + 44 (0) 1371 876887

E-Mail: sales@coltergroup.co.uk Web Site: www.coltergroup.co.uk

© Copyright 1999

The DRM-PS 24/4.5 is supplied by Colter Products Ltd.

Colter Products reserve the right to amend these specifications and the user is asked to check the validity of the data sheet prior to use

Colter

Group